	•
	,
•	_

Application No. Applicant(s) 10/608,003 GUTIERREZ, ANTHONY G. Notice of Allowability Examiner Art Unit Charles E. Coolev 1723 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment filed 3 DEC 2004. 2. The allowed claim(s) is/are 3-5,7-11,13,16-18,20 and 21. 3. The drawings filed on 30 June 2003 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. [] A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413). Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. 🔲 Other

Application/Control Number: 10/608,003 Page 2

Art Unit: 1723

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview

with William Bradley on 28 JAN 2005.

The application has been amended as follows:

Amendment to the Claims:

Amend claim 13 as follows:

13. (Currently Amended) A handheld centrifuge device comprising:

a centrifuge body adapted for handling by a user;

a holder adapted for holding at least one sample to be centrifuged; and

a tether having a first end associated with said centrifuge body and a second end

associated with said holder;

wherein said open back end is threaded for receiving threads disposed on said

holder, wherein said centrifuge body and said holder are machined from solid

hexagonal aluminum rod, and

wherein said holder defines six evenly spaced apertures for receiving sample

tubes disposed around its circumference.

Application/Control Number: 10/608,003 Page 3

Art Unit: 1723

* * *

- 3. The above change to claim 13 was made to replace the subject matter of claim 11 appearing in independent claim 13 with the subject matter of claim 12 since the subject matter of claim 11 lacks antecedent basis in new claim 13. Note original claim 13 depended from claim 12 which depended from claim 1, thus claim 13 appearing above is original claims 1, 12, and 13 placed into independent form. The above change was made to properly place allowed claim 13 into independent form and this change was not made in view of any prior art or patentability issues.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/608,003

Art Unit: 1723

Chilles Con

Page 4

Charles E. Cooley Primary Examiner Art Unit 1723

Wednesday, February 02, 2005